

Europäisches Patentamt European Patent Office Office européen des brevets



(11) EP 0 889 421 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication: 07.01.1999 Bulletin 1999/01

(51) Int Cl.6: G06F 17/30

(21) Application number: 98304651.7

(22) Date of filing: 12.06.1998

(84) Designated Contracting States:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

MC NL PT SE

Designated Extension States:

Designated Extension States: AL LT LV MK RO SI

(30) Priority: 12.06.1997 US 873975

(71) Applicant: Yahoo, Inc. Santa Clara, California 95051 (US) (72) Inventors:

Nazem, Farzad
 Redwood City, California 94061 (US)

Patel, Ashvinkumar P.
 Milpitas, California 95035 (US)

(74) Representative:
Cross, Rupert Edward Blount et al
BOULT WADE TENNANT,
27 Furnival Street
London EC4A 1PQ (GB)

(54) Dynamic page generator

(57) An custom page server is provided with user preferences organized into templates stored in compact data structures and the live data used to fill the templates stored local to the page server which is handing user requests for custom pages. One process is executed on the page server for every request. The process is provided a user template for the user making the request, where the user template is either generated from user preferences or retrieved from a cache of recently used user templates. Each user process is provided access to a large region of shared memory which contains

all of the live data needed to fill any user template. Typically, the pages served are news pages, giving the user a custom selection of stock quotes, news headlines, sports scores, weather, and the like. With the live data stored in a local, shared memory, any custom page can be built within the page server, eliminating the need to make requests from other servers for portions of the live data. While the shared memory might include RAM (random access memory) and disk storage, in many computer systems, it is faster to store all the live data in RAM.

Description

5

10

15

20

45

50

55

BACKGROUND OF THE INVENTION

The present invention relates to the field of customized information presentation. More specifically, one embodiment of the invention provides a custom page server which can quickly serve custom pages and is scalable to handle many users simultaneously.

Web servers for serving static documents ("Web pages") over the global Internet are known. While static documents are useful in many applications where the information to be presented to each requesting user is the same, some applications require customization to appeal to users. For example, in presenting news to users, custom pages present news which is more relevant to the requesting users than static pages. With static pages, a user will often have to scroll through many topics not of interest to that user to get to the information of interest. With custom pages, the information is filtered according to each user's interest.

Customizing a server response based on the requestor is known, however known systems do not scale well. One method of serving custom pages is to execute a script, such as a CGI (Common Gateway Interface) script, or other program to collect the information necessary to generate the custom page. For example, if the custom page is a news page containing stock quotes, sports scores and weather, the script might poll a quote server to obtain the quotes of interest, poll a sports score server to obtain the scores of interest and poll a weather server to obtain the weather. With this information, the server generates the custom page and returns it to the user. This approach is useful where there are not many requestors and where the attendant delay is acceptable to users. While it may be the case that current users are willing to wait while pages load in their browsers, growing impatience with waiting will turn users away from such servers, especially as use increases.

One approach to avoiding long waits is to transfer the custom information in non-real-time, so that the information is stored local to the user as it arrives and is presented to the user on request. A disadvantage of such a system is that the networks used by the user become clogged with data continually streaming to the user and require large amounts of local storage. Another disadvantage is that the locally stored information will become out of date as the server receives new data

From the above it is seen that an improved system for delivering custom pages is needed.

30 SUMMARY OF THE INVENTION

The present invention provides an improved custom page server. In one embodiment, user preferences are organized into templates stored in compact data structures and the live data used to fill the templates is stored local to the page server which is handing user requests for custom pages. One process is executed on the page server for every request. The process is provided a user template for the user making the request, where the user template is either generated from user preferences or retrieved from a cache of recently used user templates. Each user process is provided access to a large region of shared memory which contains all of the live data needed to fill any user template. Typically, the pages served are news pages, giving the user a custom selection of stock quotes, news headlines, sports scores, weather, and the like. With the live data stored in a local, shared memory, any custom page can be built within the page server, eliminating the need to make requests from other servers for portions of the live data. While the shared memory might include RAM (random access memory) and disk storage, in many computer systems, it is faster to store all the live data in RAM.

If the volume of requests becomes too great for one page server to handle, the system is easily scaled by adding additional page servers. Each page server maintains its own copy of the live data in its shared memory, and needs to maintain only the user templates for the requests it is handling, so no communication between page servers is needed.

Examples of embodiments of the inventions herein may be realized by reference to the remaining portions of the specification and the attached drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

- FIG. 1 is a block diagram of a client-server architecture according to one embodiment of the present invention;
- FIG. 2 is a schematic diagram showing how a user's custom page is generated from a user configuration, a global template and live data.
- FIG. 3 is an illustration of a global front page template as might be used to generate user templates.
- FIG. 4 is an illustration of a user template generated from the global front page template of FIG. 3 as might be used to generate a custom user page.
- FIG. 5 is an illustration of a user page generated using the global template of FIG. 4.
- FIG. 6 is an illustration of how intelligent defaults are selected.

Two appendices are included at the end of this description. Appendix A is a full listing of the user template shown in part in FIG.4. Appendix B is an HTML source code listing of the HTML page used to generate the browser display shown in FIG. 5.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

5

10

15

20

25

40

45

50

55

FIG. 1 shows a client-server system 100 which is used to display custom news pages. A custom news page is displayed on a browser 102 which obtains the page from a page server 104 via Internet 106. While only one browser 102 is shown, a typical system will have many browsers connecting and disconnecting to the system.

The art of client-server systems using HTTP (HyperText Transport Protocol) messaging or other protocols is well known and will not be addressed in detail here. Essentially, browser 102 makes a request for a particular page by specifying a Uniform Resource Locator ("URL") for the page. In the example shown in FIG. 1, the request is directed to the URL "http://my.yahoo.com/". Normally, this URL is directed to the root directory of a machine named my.yahoo.com. As is the convention in Internet communications, browser 102 submits the domain portion ("my.yahoo.com") of the URL to a name server, such as name server 108, to determine an actual address for the page server 104. Name server 108 returns an IP (Internet Protocol) address to browser 102 directing it to a page server 104. Where multiple page servers 104 are used, name server 108 returns IP addresses in a round-robin fashion to distribute the load over multiple page servers. Alternatively, name server 108 might distribute the load more deterministic by tracking browser addresses and hashing the browser address to select a page server 104. It is deterministic in that any given browser always accesses the same page server 104. This allows for more efficient caching of user templates, since more cache hits are likely where a given browser always returns to one page server.

When a page server receives the URL for its root directory, it interprets that as a request for the user's custom summary page. The user is determined not from the URL, but from a "cookie" provided by browser 102 with the URL. Cookies are strings of data stored by browsers and sent along with any request to a URL having a domain associated with the cookie.

Page servers 104 obtain the live data from many disparate sources and reformat the data into a form suitable for use by the page server. Page servers 104 are coupled, via a network, to edit servers 112, which are used when a user changes his or her user template. The user templates are stored in a user configuration database 116 and are stored and provided to edit servers by a network appliance 114 written for this purpose. Network appliance 114 is a process tuned to quickly locate files in large directories (N400 files/directory) and return them to the edit servers or page servers. One embodiment of network appliance 114 is the F330 fault-tolerant scalable server supplied by Network Appliance, of Mountain View, California.

In a specific embodiment, page servers 104 are microcomputers running the Unix® operating system with 64 to 128 megabytes of shared memory, page servers 104 and edit servers 112 are coupled using TCP/IP (Transport Control Protocol/Internet Protocol) and the user configuration database 116 is a Unix file structure which stores each user configuration in a text file. The particular file used by a user is a combination of the user's user name and a hash result, to allow for quick access when many user configurations are stored. For example, the user configuration for summary "front" page for a user "ash802" might be stored at /de/13/y.ash802, where "de" and "13" are hash results of a hash of the user name "ash802".

FIG. 2 shows in more detail the generation of a custom page for a user, using a front page generator 200 and page server 104. Front page generator 200 generates a user template 202 from a global front page template 204 and a user configuration record 206. FIG. 3 shows an example of a global front page template. User configuration record 206 is a record selected from user configuration database 116. The record might have been obtained from a cache, but in the preferred embodiment, the records are not cached, the user templates are.

Page server 104 is shown comprising a page generator 210, a shared memory 212 for storing live data and a cache 214 for caching user templates such as user template 202. Page generator 210 generates a custom front page 218 from a user template and the live data stored in shared memory 212. Although not shown, custom pages other than the front page can be generated in a similar fashion. Using user templates and a shared memory for the live data, page server 104 can quickly build custom pages in response to a user request. Where the user template is cached, the page can be generated entirely within page server 104.

Shared memory 212 is organized as a set of memory mapped files. With memory mapped files, the operating system maintains the data in permanent storage, but permanently caches the files in shared memory 212. This allows for quick recovery should a page server crash, since all of the shared memory can simply be reloaded from the permanent storage. This is a great feature from a user convenience standpoint, since the user will never be faced with a situation where they have to wait for a server to rebuild a page for them by querying the various data providing servers, such as sports server 230, stock server 232 and news server 234. As should be apparent from this description and FIG. 2, page generator 210 can generate custom front page 218 much more quickly using shared memory 212 as compared with using servers 230, 232, 234 and page template 202. One reason for this is that the time it takes to

retrieve data from shared memory 212 does not appreciably increase relative to the bandwidth delay time when more data is retrieved. For example, if stock server 232 were queried for each individual stock quote, a page with fifty stock quotes might take ten times as long to generate as a page with five stock quotes.

One aspect of the present invention is the realization that every piece of information a person can request on a page is storable in a shared memory closely coupled to a page generator. For example, page server 104 shown in FIG. 2 can accommodate 65,000 different symbols for which quotes are provided. In one embodiment, all of the stock information for all 65,000 symbols is stored in a 13 to 14 megabytes section of the shared memory. Where shared memory 212 is a 64MB or 128MB memory, this leaves sufficient room for other data, such as news headlines, sport scores, and memory used by the operating system for each process running on page server 104. In some embodiments, shared memory 212 is large enough to also accommodate more than just news headlines. For example, news summaries (as described further in connection with FIG. 5) can be stored in shared memory 212 for quick access.

5

10

15

20

30

50

As shown in FIG. 2, the user's front page template 202 does not need to be generated each time, but rather is stored in cache 214. In a preferred embodiment, user templates are stored in cache 214 for long enough to be reused. Some users might choose to access their front page only infrequently, while others might choose to access their front page hourly. Since the pages are customized and dynamic, the user would see different information each time, but the same user template would be used each time. Of course, when the user edits his or her template, any cached copy of a user template is flushed. A garbage-collection process may also flush the cache of user pages which have been inactive for several days. In one implementation, cache 214 would accommodate 60,000 to 70,000 user templates. Where a particular page server is assigned on a random round robin basis, multiple page servers may cache their own copy of a given user template, but where a user is directed always to a particular server (except in the case where the particular server fails and a secondary server is used), that page server will be the only one which needs to cache that users user template. Even where the round robin name server scheme is used, some browsers may cache IP addresses, even longer than the specified "time to live" variable associated with the IP address, in order to save the time required to obtain an IP address each time. With such a browser, the user is effectively directed to the same page server each time and the server side of the page serving system does not need to direct users to particular page servers. With newer browsers, however, the "time to live" variable is honored and new requests are made for IP addresses after the "time to live" has expired. In these cases, if the assignment of a user to a single page server is desired, name server 108 (see FIG. 1) will use the user name from the provided cookie or the user's IP address to assign a page server based on a hash of the user name or IP address.

FIG. 3 is an illustration of global user template 204. Global user template 204 is an HTML (HyperText Markup Language) document with additional tags as placeholders for live data. Several placeholders 302 are shown in FIG. 3.

FIG. 4 is an illustration of user template 202 as might be generated from global user template 204 (see Fig. 3) and a user configuration record 206. A full listing of user template 202 is included herewith in Appendix A. User template 202 is determined by the user configuration and is independent of the live data, therefore it can be cached without needing to be updated, unless the user chooses to edit the configuration information. Preferably, the user templates are cached rather than the user configuration, to save a step and reduce the time to respond to a request for the page. Caching is more effective where the typical user makes several requests in a short time span and then doesn't make any requests for a long period of time.

Essentially, user template 202 contains the information about the user which does not change until the user changes his or her preferences. Of course, the system operator could choose to make changes to how the system operates, thus requiring changes to the user preferences and user templates. User template 202 is shown comprising internal variables such as a time zone and demographic information. The demographic information, on the second line in FIG. 4 is used for selection of an advertisement which will be part of the custom page. In this example, the advertisement is targeted by the demographic information in the user template ":M,85,95035,T,*" indicating that a suitable ad should be targeted to a male user, age 85, located in zip code 95035, etc. As shown, the portfolio section contains selected stock symbols, the scoreboard section contains selected team symbols, and the weather section contains selected weather cities/zip codes.

The selections of stock quote symbols, team scores, and weather cities are set by the user. In a preferred embodiment, intelligent defaults are selected by the system prior to user selection, so that users unfamiliar with the customization process will nonetheless be able to view non empty custom pages. This is described in further detail below in connection with FIG. 6.

FIG. 5 is an illustration of a user front page 218 returned by page server 104. User front page 218 as shown in FIG. 5 includes many elements, some of which are described here in further detail. User front page 218 is built according to a user template and live data. The user template specifies, for example which quotes are shown in the portfolio module, which cities are displayed in the weather module, etc. Each of the modules 504 can be customized by a user and moved about front page 218. The modules 504 are also reusable, in that any customized module which appears on multiple pages can be edited from any one of those pages and the edits will be reflected on each of the pages. Other custom pages for the user can be viewed by selecting one of the page buttons 502 appearing below the header.

Other pages and utilities can be selected using the buttons 508 which are part of the header.

In addition to all of the live date shown in FIG. 5 being stored in the shared memory, summaries from each of the major news topics can also be stored in the shared memory and viewed by pressing on the news topic header, such as news topic header 506. As should be noted, the page generator can also intelligently display dates 510 customized for a particular user, using a time zone variable in the user template. This time zone variable is shown as the first line in user template 202 in FIG. 4. In addition to being able to modify each of the modules, in many cases the order of appearance of the modules is customizable. For example, the order of the various sections of user template 202 shown in FIG. 4 is not fixed.

The preference editing process can be initiated by the user pressing the appropriate edit button 512. As explained above, once the editing process is complete, the user template is flushed from the cache and regenerated. Since each of the news stories is essentially a static page linked to a headline shown in the news section, these can simply be linked to static pages on a news server.

Referring now to FIG. 6, an illustration of intelligent defaulting for populating a user template, and consequently a user summary page. As part of a registration process, a user indicates, among other things, his or her zip code. This zip code is used to locate an approximate longitude and latitude for the user using a zip code lookup table 602. This allows the user's location to be located on a map 604. Map 604 provides city boundaries and, with team location table 606, also provides locations for various sports teams which can be selected in a sports module. In selecting a default predetermined number of cities and sports teams for inclusion as initial selections for a particular user, a circle is drawn around the user and increased in diameter until the circle envelopes a suitable predetermined number of cities and sports teams. In this way, each user is guaranteed a default number of nearby teams and cities for sports and weather, respectively. While this assumes that the user is interested in only the teams nearest the user, the system can be arranged to provide intelligent defaults where geographic anomalies are known to exist. Geographic anomalies occur in communities which have more loyalty to distant teams than nearby teams, such as might occur when the distant team is much better than the nearby team or when the nearby team recently moved to a distant location. In any case, the user is allowed customize his or her pages beginning with the intelligent defaults selected.

Other intelligent defaults can be provided in other contexts. For example, the header of user front page 218 includes a button 508 labelled "myweb" which, when pressed, would lead the user to a custom listing of web sites. The initial defaults for that custom listing of web sites might be generated based on the keywords of interest to that user or based on the news topics, sports teams or weather cities selected by the user.

Appendix A. Listing of a User Template

```
<!-- timezone:-8,PT 0 -->
5
         <!-- ad:M,85,95035,T,* 792 -->
         <!--
        portfolio:Quotes,pf_1,1,^DJI,^NYA,^IXIC,^SPX,^XAX,YHOO,NSCP,IOM,NSCP,YHOO
         2836 -->
10
         <!--
        scoreboard: NCAAFSSC, NHLSAN, MLSSAN, NCAAFSSS, ALOAK, NBAGSW, NFLOAK, NCAAFCCD, NF
         LSFC, NLSFO 3803 -->
         <!-- weather:f,30901,uk_londo,94601,95101 4368 -->
15
         <!--
        mode_bar:"FRONT_PAGE",.hier=News+Summary%3aEdit&.done=http://my.yahoo.com/
         news/summary.html?v 4538 -->
         <!-- summary2:3,rt,rw,z0000,mlb,re,vf 4597 -->
20
         <!-- motd:us_motn.html 4696 -->
         <html>
         <head>
         <title>My Yahoo! news summary for ash802</title>
25
         </head>
         <body>
         <center>
30
         <map name="top"><area shape=rect coords="0,0,45,66"</pre>
         href="/news/summary.html?v"><area shape=rect coords="45,0,90,66"
         href="/internet/directory.html?v"><area shape=rect coords="90,0,135,66"
        href="/contacts/white_pages.html?v"><area shape=rect coords="135,0,346,66"
         href="/?myHome"><area shape=rect coords="346,0,389,65"
35
        href="/help/news/summary.html"><area shape=rect coords="389,0,431,66"
         href="http://edit.my.yahoo.com/config/eval_profile"><area shape=rect
        coords="431,0,477,66" href="http://edit.my.yahoo.com/config/toffly">
         </map>
40
         <center><a href="/bin/top_menu"><img border=0 height=62 width=477 ismap</pre>
         usemap="#top" src="http://www.yahoo.com/images/my/banner/newsl.gif"
         alt="My Yahoo!"></a></center>
45
         >
         <center><form action="http://search.my.yahoo.com/search/my"> <font</pre>
         size="-2">{ <a
         href="http://edit.my.yahoo.com/config/set_attr?attr=sloc&value=b&.done=htt
50
        p://my.yahoo.com/news/summary.html?v">move to bottom</a> ] </font><input
         size=25 name=p> <font size="-1">&nbsp; <input type=submit
         value=Search><input type=hidden name=n value="25"> &nbsp; <a
         href="http://search.my.yahoo.com/search/my/options">Options</a></font></fo
55
         rm></center>
```

```
<center>
     <font
5
     color="#000000"><b>Sections:</b>&nbsp;&nbsp;</font>
     <font
     color="#000000"><b>Front@nbsp;Page</b></font>
       |   
10
     <a href="/news/business/summary.html?v">Business</a>
       |   
     <a
     href="/news/portfolio_summary.html?v">Portfolios</a>
15
       |   
     <a
     \label{lem:href} \verb|href="/news/entertainment/summary.html?v"> Entertainment</a>
       |   
20
     <a href="/news/sports/summary.html?v">Sports</a>
       |   
     <a
     25
     </r>
     </center>
     </center>
30
     <a
     href="http://edit.my.yahoo.com/config/eval_left?mode=left_nsum&.done=http%
35
     3a\$2f\$2fmy\$2eyahoo\$2ecom\$2fnews\$2fsummary\$2ehtml\$3fv"><img border=0
     src="http://www.yahoo.com/images/my/left.gif" alt="edit left"></a>
     <table border=0
40
     cellpadding=2 cellspacing=0 width="100%"><b><font
     size="+1">P<font size="+0">ORTFOLIOS</font></font></b>
     align=right><a
     href="http://edit.my.yahoo.com/config/eval_quotes?.done=http://my.yahoo.co
     m/news/summary.html?v"><img align=absmiddle border=0 height=13 width=25
45
     src="http://www.yahoo.com/images/my/personalize.gif"
     alt="edit"></a>
     <form method=get
     action="http://quote.yahoo.com/quotes"><font size="-1"><input type=text</pre>
50
     size=10 name=symbols><input type=submit value="Get Quotes"><br>><font
     size="0">quotes delayed 20 minutes - <a
     href="/fin_disclaimer.html">disclaimer</a><br>click on symbol for detailed
     quote + news<br><b><</b> indicates new news during last
55
     24hrs<font></form>
```

```
<hr size=0>
            cellpadding=2 cellspacing=0 width="100%"><a
            href="/sum/?http://sports.yahoo.com/"><b><font size="+1">S<font
 5
            size="+0">COREBOARD</font></font></b></a><a
            href="http://edit.my.yahoo.com/config/set_sports?.done=http://my.yahoo.com
            /news/summary.html?v"><img align=absmiddle border=0 height=13 width=25
            src="http://www.yahoo.com/images/my/personalize.gif"
10
            alt="edit"></a>
            <hr size=0>
            15
            cellpadding=2 cellspacing=0 width="100%"><a
            href="/my/?http://weather.yahoo.com/"><b><font size="+1">W<font
            \label{linear_size} \verb|size="+0">EATHER</font></font></b></a><a | linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linear_linea
            href="http://edit.my.yahoo.com/config/set_wni?.done=http://my.yahoo.com/ne
20
            ws/summary.html?v"><img align=absmiddle border=0 height=13 width=25
            src="http://www.yahoo.com/images/my/personalize.gif"
            alt="edit"></a>
            <font size=0>click on city for extended
25
            forecast</font>
            <hr size=0>
30
            35
            40
            45
            </center>
            <q>>
50
            <hr>
            <center>
            55
```

```
<a href="/my/?http://www.yahoo.com/"><img
   border=0 height=47 width=47 src="http://www.yahoo.com/images/my/yahoo.gif"
   alt="Yahoo!"></a>
       
   <font size="-1"><i>Copyright
   © 1994-1997 Yahoo! Inc. All rights reserved.</i>
   copyright © 1997 Reuters Ltd. All rights reserved. <br>
10
   Portions copyright © 1997 SportsTicker Enterprises LP. All rights
   reserved. <br>
   Portions copyright © 1997 Weathernews Inc. All rights reserved.<bre>
   Portions copyright © 1997 PR Newswire. All rights reserved. <br/> 
   Questions, comments, or suggestions? Send us <a
   href="http://my.yahoo.com/feedback.html">feedback</a>.</font>
   20
       
   <a href="/bin/logout_menu"><img border=0 height=68
25
   width=100 ismap usemap="#logout"
   src="http://www.yahoo.com/images/my/logout.gif" alt="Change
   User"></a>
   30
   </center>
   <map name=logout>
   <area coords="0,0,50,68" href="/my/?http://www.yahoo.com/">
   <area coords="51,0,100,68"
   href="http://edit.my.yahoo.com/config/login?logout=1">
   </map>
40
   </body>
   </html>
45
50
```

Appendix B. Listing of a User Page

```
<html>
5
       <head>
       <title>My Yahoo! news summary for ash802</title>
       </head>
       <body>
10
       <center>
       <map name="top"><area shape=rect coords="0,0,45,66"</pre>
       href="/news/summary.html?v"><area shape=rect coords="45,0,90,66"
       href="/internet/directory.html?v"><area shape=rect coords="90,0,135,66"
15
       href="/contacts/white_pages.html?v"><area shape=rect coords="135,0,346,66"
       href="/?myHome"><area shape=rect coords="346,0,389,66"
       href="/help/news/summary.html"><area shape=rect coords="389,0,431,66"
       href="http://edit.my.yahoo.com/config/eval_profile"><area shape=rect
       coords="431,0,477,66" href="http://edit.my.yahoo.com/config/toffly">
20
       <center><a href="/bin/top_menu"><img border=0 height=62 width=477 ismap</pre>
       usemap="#top" src="http://www.yahoo.com/images/my/banner/newsl.gif" alt="My
       Yahoo!"></a></center>
25
       <font size="-5"></font><!-- SpaceID=0 noad -->
       <font size="-5"></font>
       <q>>
       <center><form action="http://search.my.yahoo.com/search/my"> <font size="-2">[ <a</pre>
30
       href="http://edit.my.yahoo.com/config/set_attr?attr=sloc&value=b&.done=http://my.y
       ahoo.com/news/summary.html?v">move to bottom</a> ] </font><input size=25 name=p>
       <font size="-1">&nbsp; <input type=submit value=Search><input type=hidden name=n
       value="25">   <a href="http://search.my.yahoo.com/search/my/options"</pre>
       >Options</a></font></form></center>
35
       <font color="#000000"><b>Sections:</b>&nbsp;&nbsp;</font>
40
       <font
       color="#000000"><b>Front&nbsp; Page</b></font>
         |   
       <a href="/news/business/summary.html?v">Business</a>
         |   
45
       <a href="/news/portfolio_summary.html?v">Portfolios</a>
         |   
       <a
       href="/news/entertainment/summary.html?v">Entertainment</a>
       $\td$  |  
50
       <a href="/news/sports/summary.html?v">Sports</a>
        $nbsp; |   
        <a href="/news/technology/summary.html?v">Technology</a>
       55
        </rable>
```

```
</center>
       </center>
5
       href="http://edit.my.yahoo.com/config/eval_left?mode=left_nsum&.done=http%3a%2f%2f
10
       my%2eyahoo%2ecom%2fnews%2fsummary%2ehtml%3fv"><img border=0
       src="http://www.yahoo.com/images/my/left.gif" alt="edit left"></a>
       cellspacing=0 width="100%"><b><font size="+1">P<font
15
       size="+0">ORTFOLIOS</font></font></b><a
       href="http://edit.my.yahoo.com/config/eval_quotes?.done=http://my.yahoo.com/news/s
       ummary.html?v"><img align=absmiddle border=0 height=13 width=25
       src="http://www.yahoo.com/images/my/personalize.gif"
20
       alt="edit"></a>
       <nobr><a
       href="http://edit.my.yahoo.com/config/set_portf_expand?port=Quotes&expand=0&.done=
       http://my.yahoo.com/news/summary.html?v"><img align=absmiddle border=0 height=11
       width=11 src="http://www.yahoo.com/images/my/arrowdown.gif"
25
       alt="edit"></a><nobr><b><a
       href="http://quote.yahoo.com/portfolio?view&key=pf_1">Quotes</a></b></nobr><t
       d width="30%"><big>
       <nobr><font size="-
       30
       nt></nobr><nobr><font size="-1"><a
       href="http://quote.yahoo.com/quotes?SYMBOLS=^DJI&detailed=t">DJIA</a><br
       <a href="http://quote.yahoo.com/quotes?SYMBOLS=^NYA&detailed=t">NYSE</a><br>
       <a href="http://quote.yahoo.com/quotes?SYMBOLS=^IXIC&detailed=t">NASDAQ</a><br>
35
       <a href="http://quote.yahoo.com/quotes?SYMBOLS=^SPX&detailed=t">S&P 500</a><br>
       <a href="http://quote.yahoo.com/quotes?SYMBOLS=^XAX&detailed=t">AMEX</a><br/><br/>
       <a href="http://quote.yahoo.com/quotes?SYMBOLS=NSCP&detailed=t">NSCP</a><br>
       <a href="http://quote.yahoo.com/quotes?SYMBOLS=IOM&detailed=t">IOM</a><br>
40
       <a href="http://quote.yahoo.com/quotes?SYMBOLS=NSCP&detailed=t">NSCP</a><br>
       <a href="http://quote.yahoo.com/quotes?SYMBOLS=YHOO&detailed=t">YHOO</a><br>
       </font></nobr><nobr><font size="-
       1">7312.15<br>442.36<br>1384.91<br>845.48<br>609.02<br>32 1/2<br>29 1/4<br>19
       1/4<br>29 1/4<br>32 1/2<br></font></nobr><td align=right valign=top
45
       width="30%"><nobr><font size="-1"><font size="-1"
       color="#007f00">+22.75</font><br><font size="-1"
       color="#007f00">+0.82</font><br><font size="-1" color="#7f0000">-
       19.88</font><br><font size="-1" color="#7f0000">-0.88</font><br><font size="-1"
50
       color="#007f00">+1.85</font><br><font size="-1" color="#7f0000">-
       5/8</font><br><font size="-1" color="#7f0000">-5/8</font><br>><font size="-1"
       color="#007f00">+1/2</font><br><font size="-1" color="#7f0000">-
       5/8</font><br>><font size="-1" color="#7f0000">-
       5/8</font><br></font></nobr>
55
       <form method=get
```

```
action="http://quote.yahoo.com/quotes"><font size="-1"><input type=text size=10
          name=symbols><input type=submit value="Get Quotes"><br><font size="0">quotes
          delayed 20 minutes - <a href="/fin_disclaimer.html">disclaimer</a><br>click on
          symbol for detailed quote + news<br><b>*</b> indicates new news during last
5
          24hrs<font></form>
          <hr size=0>
          cellspacing=0 width="100%"><a
10
          href="/sum/?http://sports.yahoo.com/"><b><font size="+1">S<font
          size="+0">COREBOARD</font></font></b></a><a
          href="http://edit.my.yahoo.com/config/set_sports?.done=http://my.yahoo.com/news/su
          mmary.html?v"><img align=absmiddle border=0 height=13 width=25
          src="http://www.yahoo.com/images/my/personalize.gif"
15
          alt="edit"></a>
          <b><font size="-1">TODAY</font></b>
          <font size=-1><a
          href="http://sports.yahoo.com/al/">AL</a></font><font size=-
20
          l>Detroit<br><b>Oakland</b></font><font size=-
          1>8 < br>9 < /font >  6#160;  <font size=-1><a
          href="http://sports.yahoo.com/al/rcps/970603/detoak.html">F</a></font>
           <font size=-1><a
          href="http://sports.yahoo.com/nl/">NL</a></font><font size=-
25
          l>San Francisco<br><b>Florida</b></font><font</pre>
          size=-1>9<br>1</font>&#160;<font size=-
          href="http://sports.yahoo.com/nl/rcps/970603/sfofla.html">F</a></font>
          <b><font size="-1">YESTERDAY</font></b>
30
          <tr><font size=-1><a
          href="http://sports.yahoo.com/al/">AL</a></font><font size=-
          1>Detroit<br><bookland</b></font><font size=-
          1>8 < br>7 < /font>  & #160;   < font size=-1> < a lign=top> < font size=-1> < a
35
          href="http://sports.yahoo.com/al/rcps/970602/detoak.html">F</a></font>
          <font size=-l><a
          href="http://sports.yahoo.com/nl/">NL</a></font><font size=-
          1>San Francisco<br><b>Florida</b></font><font
          size=-1>2<br/>font>6#160;<font size=-
40
          href="http://sports.yahoo.com/nl/rcps/970602/sfofla.html">F</a></font>
           <hr size=0>
45
          cellspacing=0 width="100%"><a
          href="/my/?http://weather.yahoo.com/"><b><font size="+1">W<font
          \label{eq:size} size="+0">EATHER</font></font></b></a><a
50
          href="http://edit.my.yahoo.com/config/set_wni?.done=http://my.yahoo.com/news/summa
           ry.html?v"><img align=absmiddle border=0 height=13 width=25
          src="http://www.yahoo.com/images/my/personalize.gif"
          alt="edit"></a>
           <a href="http://weather.yahoo.com/forecast/Augusta_GA_US_f.html"><font
55
           size="-1">Augusta, GA</font></a><font size="-1">63...78
```

```
F</font><font size="-1"><img height=24 width=32
     src="http://www.yahoo.com/images/my/wni/87.gif" alt="Showers"></font>
     <a href="http://weather.yahoo.com/forecast/London_UK_f.html"><font size="-
     l">London, UK</font></a><font size="-1">50...73
5
     F</font><font size="-1"><img height=24 width=32
     src="http://www.yahoo.com/images/my/wni/87.gif" alt="Showers"></font>
     <a href="http://weather.yahoo.com/forecast/Oakland_CA_US_f.html"><font
      size="-1">Oakland, CA</font></a><font size="-1">59...70
10
     F</font><font size="-1"><img height=24 width=32
     src="http://www.yahoo.com/images/my/wni/66.gif" alt="Partly
     Cloudy"></font>
     <a href="http://weather.yahoo.com/forecast/San_Jose_CA_US_f.html"><font
     size = "-1">San Jose, CA</font></a><font size="-1">S4...75
15
     F</font><font size="-1"><img height=24 width=32
     src="http://www.yahoo.com/images/my/wni/82.gif" alt="Rain"></font>
      <font size=0>click on city for extended
      forecast</font>
20
      <hr size=0>
      25
      30
      <font color="#fffffff"
     size="+1"><nobr><b>F</b></nobr></font><font
     color="#ffffff"><b><nobr>RONT</nobr>&nbsp; <nobr>PAGE</nobr></b> - Jun 3
     7:40pm</font>
35
     <a
     href="http://edit.my.yahoo.com/config/edit_news?.hier=News+Summary%3aEdit&.done=ht
     tp://my.yahoo.com/news/summary.html?v"><img align=right border=0 height=15
     width=66 vspace=2 src="http://www.yahoo.com/images/my/edit_topics.gif" alt="edit
     topics"></a>
40
     </center>
45
     <a href="/news/top_stories.html?v"><b><font
      size="+1">8</font>reaking News</b></a>&nbsp; <i>Jun 3 5:03pm</i>
      50
      <a href="http://www.yahoo.com/headlines/970603/news/stories/bombing_61.html"</pre>
     >Judge Moves to Avoid McVeigh 'Lynching'</a>
      <a href=
      "http://www.yahoo.com/headlines/970603/news/stories/bombingappeals_1.html">McVeigh
55
      's Expected Appeals May Last Years</a>
```

```
<a
                   href="http://www.yahoo.com/headlines/970603/news/stories/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/970603/news/stories/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/970603/news/stories/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/970603/news/stories/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/970603/news/stories/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/970603/news/stories/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/970603/news/stories/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/970603/news/stories/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/970603/news/stories/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/970603/news/stories/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/970603/news/stories/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/bombingpenalty_1.html">Exxistantial="http://www.yahoo.com/headlines/bombingpenalty_1.html">http://www.yahoo.com/headlines/bombingpenalty_1.html</a>
                   perts: Plea for Mercy is McVeigh's Best Hope</a>
                   5
                   <a href="/news/world.html?v"><b><font
                   size="+1">W</font>orld</b></a>&nbsp; <i>Jun 3 2:09pm</i>
                   \langle li \rangle \langle a
 10
                   href="http://www.yahoo.com/headlines/970603/international/stories/canada_6.html">C
                   anadian Liberals Face Thorny Issues</a>
                   href="http://www.yahoo.com/headlines/970603/international/stories/nato_10.html">U.
                   S. Advocates Ready for NATO Expansion Fight</a>
 15
                   href="http://www.yahoo.com/headlines/970603/international/stories/leone_11.html">U
                   .S. Ferries More Foreigners from Sierra Leone</a>
                   20
                    <a
                   href="http://biz.yahoo.com/news/z0000.html"><b><font size="+1">U</font>.S. Stock
                   News and Report</b></a>&nbsp; <i></i>
                   <a href="http://biz.yahoo.com/finance/97/06/03/crdm_y001_1.html">Cardima Inc</a>
25
                   IPO range reduced - underwriter</a>
                   <a href="http://biz.yahoo.com/finance/97/06/03/luk_wtsc_1.html">AMEX to trade
                   Leucadia, West TeleServices options</a>
                    <a href="http://biz.yahoo.com/finance/97/06/03/acv_acva_1.html">CBOE to trade
                   options on Alberto-Culver Class A</a>
30
                   <a href="/news/sports/mlb.html?v"><b><font
                   size="+1">M</font>ajor League Baseball</b></a>&nbsp; <i>Jun 3 5:15pm</i>
                    35
                    <a href="http://sports.yahoo.com/mlb/lgns/970603/draftlist.html">1997 baseball</a>
                   free agent draft first round selections</a>
                    <a href="http://sports.yahoo.com/nl/lgns/970603/nlstars.html">Mike Piazza</a>
                   leads balloting in NL All-Star voting</a>
                    <a href="http://sports.yahoo.com/nl/lgns/970603/nlvotes.html">National League</a>
40
                   All-Star voting results</a>
                    <a
                   href="/news/entertainment/top_stories.html?v"><b><font
                    size="+1">E</font>ntertainment Top Stories</b></a>&nbsp; <i>Jun 3
45
                    6:35pm</i>
                    <a href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://www.yahoo.com/headlines/970603">href="http://w
                    /entertainment/summary_l.html#headline_1">Clinton Reflects on Music </a>
                    <a href="http://www.yahoo.com/headlines/970603">http://www.yahoo.com/headlines/970603</a>
50
                    /entertainment/summary_l.html#headline_2">Gifford: Marriage is Solid </a>
                    <a href="http://www.yahoo.com/headlines/970603">http://www.yahoo.com/headlines/970603</a>
                    /entertainment/summary_1.html#headline_3">Rockabilly Legend Hospitalized </a>
                    55
                    <a
```

```
Film</b></a>&nbsp; <i>Jun 3 10:13am</i>
       <a href="http://www.yahoo.com/headlines/970603/entertainment">http://www.yahoo.com/headlines/970603/entertainment</a>
5
      /stories/film_cage_1.html">FEATURE: Nicolas Cage Asks, Where Are The Heroes?</a>
      <a href="http://www.yahoo.com/headlines/970603/entertainment">http://www.yahoo.com/headlines/970603/entertainment</a>
      /stories/film_cassavetes_1.html">Nick Cassavetes Updates Father's 'Bookie'</a>
      <a href="http://www.yahoo.com/headlines/970603/entertainment">http://www.yahoo.com/headlines/970603/entertainment</a>
10
      /stories/film_boxoffice_9.html">'Lost World' Props Up Slow Box Office</a>
       15
       <center>
      20
       <table border=0 cellpadding=2 cellspacing=0
       width="100%">
      <font size="-1"><b>TIP&nbsp;</b> clicking on the My
      Yahoo! logo at the top will reload and update your default page.</font><td
25
      align=center width="28%" nowrap><font size="-1"><a
      href="http://bwguide.yahoo.com/bwguide/start.html">Yahoo! BackWeb Channel
      Guide</a><br><a href="http://www.yahoo.com/docs/info/outreach/">Yahoo! Community
      Relations</a></font><br><font size="-1"><a
      href="/motn/?http://local.yahoo.com/local/">Get Local</a> 6#183; <a
30
      href="/motn/?http://my.yahoo.com/ticker.html">News Ticker</a> &#183; <a
      href="/motn/?http://fool.yahoo.com/fool">Motley Fool</a></font>
       35
       </center>
       >
      <center>
40
      <a href="/my/?http://www.yahoo.com/"><img
      border=0 height=47 width=47 src="http://www.yahoo.com/images/my/yahoo.gif"
45
      alt="Yahoo!"></a>
          
      <font size="-1"><i>Copyright &copy;
      1994-1997 Yahoo! Inc. All rights reserved.</i>Portions copyright &copy; 1997
50
      Reuters Ltd. All rights reserved. <br>
      Portions copyright © 1997 SportsTicker Enterprises LP. All rights
      reserved. <br>
      Portions copyright © 1997 Weathernews Inc. All rights reserved. <br
      Portions copyright © 1997 Business Wire. All rights reserved. <br/>
55
      Portions copyright © 1997 PR Newswire. All rights reserved. <br
```

```
Questions, comments, or suggestions? Send us <a
    href="http://my.yahoo.com/feedback.html">feedback</a>.</font>
    5
        
    <a href="/bin/logout_menu"><img border=0 height=68 width=100 ismap
    usemap="#logout" src="http://www.yahoo.com/images/my/logout.gif" alt="Change
10
    User"></a>
    </center>
15
    <map name=logout>
    <area coords="0,0,50,68" href="/my/?http://www.yahoo.com/">
    <area coords="51,0,100,68" href="http://edit.my.yahoo.com/config/login?logout=1">
    </map>
20
    </body>
    </html>
```

Claims


25

40

50

- 1. A server system for serving a customized information page to a user at a browser on request, comprising:
- 30 a database of user configurations;
 - means for obtaining information from the user referencing a record in the database of user configurations, the record being a record for the user:
 - means for generating a template based on the record for the user;
 - a plurality of user processes, one process per user accessing the server system;
- 35 a shared memory;
 - a data structure within the shared memory for storing the dynamic information needed to generate the customized information page; and
 - response means for responding to a request with an information page containing dynamic information from the data structure formatted according to the template generated for the user making the request.
 - 2. The server system of claim 1, wherein the plurality of user processes execute on a plurality of servers, the server system further comprising a means for assigning one of the plurality of servers to users who send requests to the server system but do not already have an associated user process.
- 3. The server system of claim 2, wherein the means for assigning servers is a means for assigning a specific server to a particular user, such that the particular user is assigned the specific server for each request.
 - 4. The server system of claim 3, further comprising a cache for caching templates for recently serviced users on each of the specific servers assigned to particular users.
 - The server system of any of claims 1 to 4, further comprising a cache for caching templates for recently serviced users.
 - 6. The server system of any of claims 1 to 5, further comprising means for generating default user configurations based on user demographic information.
 - 7. The server system of claim 6, further comprising means for determining a default list of cities for a weather report and sports teams for sports reporting based on user demographic information.

8. The server system of claim 7, wherein the means for determining the default list of cities and default lists of sports teams uses user postal code information, the server system further comprising: means for translating postal code information to user geographic position; 5 means for comparing the user geographic position to geographic positions assigned to each city and sports team; and means for determining a threshold distance from the user geographic position which is greater than or equal to a distance to a predetermined nonzero number of cities and a predetermined nonzero number of sports team geographic positions. 10 9. A method of serving custom news pages, comprising the steps of: collecting current security quotes for each of a plurality of selectable securities: collecting current sports news and scores for each of a plurality of selectable sports events; 15 collecting current news headlines which reference news articles; formatting the current security quotes, current sports news and current news headlines into a data structure stored in a shared memory; accepting a request for a custom page from a user; in response to the request, reading a user template for the user from a template database, wherein the user 20 template describes a layout of a custom news page customized for the user; populating a page based on the read user template and the current data stored in the data structure in the shared memory to form a custom news page; and providing the custom news page to the user in realtime response to the request. 25 30 35 40 45 50 55



F/G. 1.




FIG. 2.


```
<html>
<head>
<title>My Yahoo! news summary for <!-- login --></title>
</head>
<body>
<center>
<!--banner:sum -->
<!-- ad -->
<!-- nav bar --> - 302
</center>
<!-- leftside:nsum -->)--302
<!-- mode bar:"FRONT PAGE" -->
<!-- channel:nsum --> -302
<center>
<!-- motd:motn.html -->.
</center>
<!-- search -->
<!-- copyright:sum -->
</body>
</html>
```

FIG. 3.

202


```
(<!-- portfolio:Quotes, of_1,1, ^DJI, ^NYA, ^IXIC, ^SPX, ^XAX, YHOO, NSCP, IOM, NSCP, YHOO</pre>
                                                                                                                                                                                                                                                                                                              mode_bar:"FRONT_PAGE", .hier=News+Summary%3aEdit&.done=http://my.yahoo.com/news
/summary2:3,rt,rw,z000],mlb,re,vf 4597 -->
                                                                                                                                                                     SCOREDOARD: NCAAFSSC, NHISAN, MLSSAN, NCAAFSSS, ALOAK, NBAGSW, NFLOAK, NCAAFCCD, NFLSFO
                                                                                                                                                                                                                                           <!-- weather: f, 30901, uk_londo, 94601, 95101 4368 -->
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     <titlo>My Yahoo! news summary for ash802</titlo>
                                                                                                                                                                                                                                                                                                                                                                              <!-- motd:us_motn.html 4696 -->
                                <!-- ad:M,85,95035,T,* 792 -->
<!-- timezone:-8,PT 0 -->
                                                                                                                                                                                                         ,NLSFO 3803 -->
                                                                                                  2836 -->
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      </head>
                                                                                                                                                                                                                                                                                                                                                                                                                      <html>
                                                                                                                                                                                                                                                                                                                                                                                                                                                         <head>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             <bod>
                                                                                                                                                                   404
```

</html>



22

	AL DETROIT 8 F	MAJOR LEAGUE BASEDALL JUN 3 5.15PM	UN 3 5.15PN
	0)300	. 1997 BASEBALL FREE . MIKE PIAZZA LEADS BA . NATIONAL LEAGUE ALL	1997 BASEBALL FREE ACENT DRAFT FIRST ROUND SELECTIONS MIKE PIAZZA LEADS BALLOTING IN NL ALL-STAR VOTING NATIONAL LEAGUE ALL-STAR VOTING RESULTS
	UAKLAND 7 NL SAN FRANCISCO 2 F FLORIDA 4	ENTERTAINMENT TOP STORIES JUN 3 6:35PM - CLINTON REFLECTS ON MUSIC	S JUN 3 6:35PM
	WEATHER EDIT		SOLID OSPITALIZED > 510
		MOVIES + FILM JUN 3 10:13 AM	NV
504	DAKLAND, CA 5970 F	• FEATURE: NICOLAS CAGE ASKS, WHERE ARE • NICK CASSAVETES UPDATES FATHER'S BOOM • 1.0ST WORLD' PROPS IIP SLOW ROX DEFICE	FEATURE: NICOLAS CAGE ASKS, WHERE ARE THE HEROES? NICK CASSAVETES UPDATES FATHER'S 'BOOKIE' LOST WORID' PROPS IIP SLOW BOX OFFICE
	SAN JOSE, CA 5475 F CLICK ON CITY FOR EXTENDED FORECAST		
_			504
	TIP CLICKING ON THE MY YAHOO! LOGO AT THE TOP WILL RELOAD AND UPDATE YOUR DEFAILT PAGE	TTHE TOP WILL RELOAD	YAHOO! BACK WEB CHANNEL GUIDE YAHOO! COMMUNITY RELATIONS
			GET LOCAL - NEWS TICKER - MOTLEY FOOL
		F1G. 5B.	CO TO CHANGE
	43 013		





EUROPEAN SEARCH REPORT

Application Number EP 98 30 4651

Category	Citation of document with in of relevant pass	ndication, where appropriate, ages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CL6)
х	QUINTANA Y: "KNOWL FILTERING OF FINANC PROCEEDINGS OF THE MEETING, 13 May 1997, pages	EDGE-BASED INFORMATION IAL INFORMATION" NATIONAL ONLINE 279-285, XP002057953	1,6,7,9	G06F17/30
A	* the whole documen	L *	2-5,8	
X	EP 0 749 081 A (POI 1996 * abstract * * page 3, line 15 - * page 6, line 7 - * page 11, line 3 - * claims *	page 6, line 19 *	1-3,9	
Y	* Claims *		4,5	
A	WO 97 17662 A (C NE * abstract *	T INC) 15 May 1997	1-3	
Y	* page 2, line 21 -	page 3, line 12 *	4,5	TECHNICAL FIELDS SEARCHED (Int.Cl.6)
X	column 1, line 11 * * page 277, column column 1, line 6 *	p personalized news 2ND INTERNATIONAL TY NETWORKING DIA SERVICES IN THE pages 275-282, 1, line 42 - page 276, 2, line 29 - page 279,	news NL THE pe 276, pe 279,	G06F
	Place of search	Date of completion of the search	<u>' </u>	Examiner
	THE HAGUE	19 August 1998	Abb	ing, R
X : part Y : part doct A : tach O : non	ATEGORY OF CITED DOCUMENTS icularly relevant if taken alone loularly relevant if combined with anotu ment of the same category inclogical background written disclosure mediate document	L : document cited to	turnent, but publi e n the application or other reasons	shed on, or

EPO FORM 1603 03.82 (POLCO1)